4/26/06 23-61286-01 493671.doc 13122-A (Battelle-Harvard Bioscience App)

PATENT

Attorney Reference Number 23-61286-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: James E. Amonette et al.

Application No. 10/002,624 Filed: November 13, 2001 Confirmation No. 1964

PHOTOACOUSTIC SPECTROSCOPY For:

> SAMPLE ARRAY VESSEL AND PHOTOACOUSTIC SPECTROSCOPY METHOD FOR USING THE SAME

Examiner: Richard A. Rosenberger

Art Unit: 2877

Attorney Reference No. 23-61286-01

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: ATTENTION: CERTIFICATE OF CORRECTION BRANCH, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-

1450 on the date shown below.

Attorney or Agent for Applicant(s)

Date Mailed April 27, 2006

ATTENTION: CERTIFICATE OF CORRECTION BRANCH

COMMISSIONER FOR PATENTS

P.O. BOX 1450

X

ALEXANDRIA, VA 22313-1450

Certificate

MAY 6 = 2006

of Correctic.

TRANSMITTAL LETTER

Enclosed for filing in the application referenced above are the following:

Request for Certificate of Correction.

Certificate of Correction.

The Director is hereby authorized to charge any additional fees that may be required, or credit

over-payment, to Deposit Account No. 02-4550. A copy of this sheet is enclosed.

Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By

Lisa M. Caldwell

Registration No. 41,653

One World Trade Center, Suite 1600

121 S.W. Salmon Street

Portland, Oregon 97204 Telephone: (503) 226-7391 Facsimile: (503) 228-9446

cc: Docketing





26/06 23-61286-01 493671.doc 13122-A (Battelle-Harvard Bioscience App)

PATENT

Attorney Reference Number 23-61286-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: James E. Amonette et al.

Application No. 10/002,624 \Filed: November 13, 2001 Confirmation No. 1964

For: PHOTOACOUSTIC SPECTROSCOPY

SAMPLE ARRAY VESSEL AND PHOTOACOUSTIC SPECTROSCOPY METHOD FOR USING THE SAME

Examiner: Richard A. Rosenberger

Art Unit: 2877

Attorney Reference No. 23-61286-01

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: ATTENTION: CERTIFICATE OF CORRECTION BRANCH, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on the date shown below.

Attorney or Agent for Applicant(s)

Date Mailed April 27, 2006

ATTENTION: CERTIFICATE OF CORRECTION BRANCH

COMMISSIONER FOR PATENTS

P.O. BOX 1450

ALEXANDRIA, VA 22313-1450

TRANSMITTAL LETTER

Enclosed for filing in the application referenced above are the following:

Request for Certificate of Correction.

Certificate of Correction.

The Director is hereby authorized to charge any additional fees that may be required, or credit over-payment, to Deposit Account No. 02-4550. A copy of this sheet is enclosed.

Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By

Lisa M. Caldwell

Registration No. 41,653

One World Trade Center, Suite 1600

121 S.W. Salmon Street Portland, Oregon 97204 Telephone: (503) 226-7391

Facsimile: (503) 228-9446

cc: Docketing

LMC:cas 04/27/06 23-61286-01 493947.doc 13122-A (Battelle-Harvard Bioscience App)
Attorney

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: James E. Amonette et al.

Date Mailed April 27, 2006

Patent No. 6,873,415 Issued: March 29, 2005

Application No. 10/002,624 Filed: November 13, 2001 Confirmation No. 1964

For: PHOTOACOUSTIC SPECTROSCOPY

SAMPLE ARRAY VESSEL AND PHOTOACOUSTIC SPECTROSCOPY METHOD FOR USING THE SAME

Examiner: Richard A. Rosenberger

Art Unit: 2877

Attorney Reference No. 23-61286-01

ATTENTION: CERTIFICATE OF CORRECTION BRANCH

COMMISSIONER FOR PATENTS

P.O. BOX 1450

ALEXANDRIA, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

On the Cover:

Under FOREIGN PATENT DOCUMENTS, "WO 92 21973 10/1992" should read -- WO 92 21973 12/1992 --

In the Specification:

Column 5, line 20, "k₁" should read -- k_i --

Column 10, line 33, "thereof In" should read -- thereof. In --

All of the above errors are attributable to the Patent Office, and a Certificate of Correction is enclosed to make formal notice of the errors in the referenced patent.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By

Lisa M. Caldwell

Registration No. 41,653

One World Trade Center, Suite 1600 121 S.W. Salmon Street

Portland, Oregon 97204 Telephone: (503) 226-7391

Facsimile: (503) 228-9446

cc: Docketing

Staple Here Only

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,873,415

DATED : March 29, 2005

INVENTOR(S): James E. Amonette et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover:

Under FOREIGN PATENT DOCUMENTS, "WO 92 21973 10/1992" should read -- WO 92 21973 12/1992 --

In the Specification:

Column 5, line 20, "k₁" should read -- k_i --

Column 10, line 33, "thereof In" should read -- thereof. In --

MAILING ADDRESS OF SENDER:

Klarquist Sparkman, LLP One World Trade Center, Suite 1600 121 SW Salmon Street Portland, Oregon 97204 PATENT NO. 6,873,415 No. of add'l copies_____ (@ .30 per page)